



BREEZE BLOCK

COLLECTION~2025



ABOUT US

BITKO is one of the leader in the breeze block sector and has developed both its technology and industrial management skills to fulfill customer's expectation in the ever-Chaning scenario of Building Material sector.

BITKO is fully equipped with necessary infrastures and has state-of-the art technology to manufacture a wide range of breeze block with different colors, designs special effects and concepts,

With your continuous support and patronage, BITKO has maintained its leadership position in the breeze block market in india. The time has therefore come to assess and re-evaluate future market trends and rely on key strengths available in Gujarat. Without doubt, advantages of having our own technical team to reduce the manufacturing and material costs will make BITKO to offer quality tiles at competitive price.

Stay Creative Stay Sustainable

bi
BITKO
CHEM INDUSTRIES



PETAL



OPAL




LOTUS



CROSSTINE



SIERRA



SPIDER



LILY



SWASTIK



FLOWER



ARROW



TOWN SQUARE



STELLA



SPECTRA



CURL



WING

Petal

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation




Low
Maintenance



PAINTABLE


COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	2.7 kg. (Approx)	4 Piece/Box	11 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Opal

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation





Low
Maintenance



PAINTABLE



COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	2.620 kg. (Approx)	4 Piece/Box	10.5 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Lotus

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation






Low
Maintenance



PAINTABLE

COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	2.450 kg. (Approx)	4 Piece/Box	9.9 kg (Approx)

Requirement per sq.ft = 2.25 Nos

PATTERN 01



PATTERN 02



PATTERN 03



PATTERN 04



PATTERN 05




PATTERN 06



PATTERN 07



PATTERN 08



Crosstine

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation





Low
Maintenance



PAINTABLE

COLOUR




Specifications


SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	2.3 kg. (Approx)	4 Piece/Box	9.2 kg (Approx)

Requirement per sq.ft = 2.25 Nos


PATTERN 01




PATTERN 02




PATTERN 03




PATTERN 04




PATTERN 05



PATTERN 06





Sierra

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation





Low
Maintenance



PAINTABLE



COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	3.850 kg. (Approx)	4 Piece/Box	15.5 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Spider

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation






Low
Maintenance



PAINTABLE

COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	2.800 kg. (Approx)	4 Piece/Box	11.5 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Lily

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation





Low
Maintenance



PAINTABLE

COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	3 kg. (Approx)	4 Piece/Box	12.1 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Swastik

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation






Low
Maintenance



PAINTABLE

COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	2.8 kg. (Approx)	4 Piece/Box	11.3 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Flower

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation






Low
Maintenance



PAINTABLE


COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	3.100 kg. (Approx)	4 Piece/Box	12.5 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Arrow

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation






Low
Maintenance



PAINTABLE


COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	2.570 kg. (Approx)	4 Piece/Box	10.5 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Town Square

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation





Low
Maintenance



PAINTABLE


COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	2.420 kg. (Approx)	4 Piece/Box	9.7 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Stella

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation






Low
Maintenance



PAINTABLE

COLOUR




Specifications


SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	3.140 kg. (Approx)	4 Piece/Box	12.6 kg (Approx)

Requirement per sq.ft = 2.25 Nos

PATTERN 01



PATTERN 02



Spectra

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation






Low
Maintenance



PAINTABLE


COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	4 kg. (Approx)	4 Piece/Box	16.1 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Curl

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation






Low
Maintenance



PAINTABLE


COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	4.400 kg. (Approx)	4 Piece/Box	17.7 kg (Approx)

Requirement per sq.ft = 2.25 Nos



Wing

FEATURES



Natural
Sunlight



Natural
Ventilation



Easy
Installation







Low
Maintenance



PAINTABLE



COLOUR




Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
200x200mm	60mm	2.4 kg. (Approx)	3 Piece/Box	7.3 kg (Approx)

Requirement per sq.ft = 2.25 Nos





Installation Method:

- First method: It is very simple it looks like constructing bricks using cement mortar or tile adhesives, You can stack one on another and make wall of jallis.
- Second method: Actually an extension of first method if the span and the height is more you can have stiffeners in between the jallis its self weight but in order to compensate the lateral force somebody is pushing or leaning to the jallis. To have an extra mechanical support. You need have extra stiffeners between. Stiffeners can use between every three or four rows of jallis and it should be connected to both ends, either to the column or MS support you are having in the both ends of the frame.
- Third method: You can make a grid of 200 mm x 200 mm and place jalli inside that.


Note: As property of stone there may be a size variation of + or-2 mm jalli to jalli.

Important note for Jallis:

- As property of stone there may be a size variations of + or-2 mm jaali to jaali.
- An important factor you have to consider while constructing jallis is make sure you clean after every few courcers of jallis because it will become very difficulty to clean it.
- As per your design requirement you can have may be 3 or 4 mm grove in between even jallis or else you can have use the thinnest may be 1 mm tile adhesive between each jallis.

Finishing Jallis:



The jallis can also be painted in any colour of your choice and we recommend to have primer before you paint it for better Finishing. You have to manage this in the gap between the jallis in tile adhesives or cement.



200 mm




200 x 200 x 60 mm
8 x 8 x 2.5 inches





COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
75x225mm	12 mm	0.460 gm. (Approx)	40 Piece/Box	18.5 kg (Approx)



COLOUR




Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
75x225mm	12 mm	0.460 gm. (Approx)	40 Piece/Box	18.5 kg (Approx)





COLOUR



Specifications

SIZE	THICKNESS	WEIGHT/PIECE	PACKING	WEIGHT/BOX
75x225mm	12 mm	0.460 gm. (Approx)	40 Piece/Box	18.5 kg (Approx)



Mfg. & Mkt. By:
BITKO CHEM INDUSTRIES

Halvad Road, At Ghuntu,
Morbi 363642 (Guj.) INDIA.

Customer Care No. +91 70970 10310, +91 97126 41000.

E-mail : bitkochemindustries@gmail.com



AVAILABLE IN
Terracotta & White colour Joint Mortar